



Journal home page: <http://www.journalijar.com>

INTERNATIONAL JOURNAL  
OF INNOVATIVE AND APPLIED RESEARCH

### REVIEW ARTICLE

Article DOI:10.58538/IJAR/2074

DOI URL: <http://dx.doi.org/10.58538/IJAR/2074>

## Platelet Distribution Width (PDW) as a Prognostic Marker for Anemia Severity in HIV Patients: A Comprehensive Review

\*Emmanuel Ifeanyi Obeagu<sup>1</sup> and Getrude Uzoma Obeagu<sup>2</sup> and Festus Uchechukwu Onuigwe<sup>3</sup>

<sup>1</sup>Department of Medical Laboratory Science, Kampala International University, Uganda.

<sup>2</sup>School of Nursing Science, Kampala International University, Uganda.

<sup>3</sup>Haematology Department, School of Medical Laboratory Sciences, Usmanu Danfodiyo University, Sokoto, Nigeria.

#### Manuscript Info

##### Manuscript History

Received: 02 December 2023

Final Accepted: 12 January 2024

Published: January 2024

##### Keywords:

Platelet Distribution Width, PDW,  
Anemia Severity, HIV Patients,  
Prognostic Marker

#### Abstract

Anemia remains a prevalent complication in individuals living with Human Immunodeficiency Virus (HIV), exerting a significant impact on disease progression and patient prognosis. Platelet Distribution Width (PDW), an established measure reflecting platelet heterogeneity, has garnered attention as a potential prognostic marker for evaluating anemia severity in this patient population. This review provides a comprehensive analysis of the utility of PDW in prognosticating anemia severity in HIV patients, aiming to explore its clinical relevance, associations, and implications for disease management. The prevalence of anemia in HIV patients is discussed, emphasizing its multifactorial etiology and adverse effects on the overall health and prognosis of affected individuals. The introduction outlines the necessity for reliable prognostic indicators to assess anemia severity in the context of HIV and sets the stage for evaluating PDW as a potential solution. In conclusion, this review highlights the potential of PDW as a valuable prognostic marker for evaluating anemia severity in HIV patients, underscoring its potential impact on disease management and the need for continued research to validate and incorporate PDW measurements in routine clinical practice.

.....  
*\*Corresponding Author: - Emmanuel Ifeanyi Obeagu, Department of Medical Laboratory Science, Kampala International University, Uganda.*  
.....

## **Introduction**

Anemia stands as a prevalent hematologic complication among individuals afflicted with Human Immunodeficiency Virus (HIV), exerting a substantial impact on disease progression and overall clinical outcomes. Its multifaceted etiology, stemming from both viral effects and adverse effects of therapeutic interventions, underscores the need for precise prognostic markers to assess anemia severity in the context of HIV. Amidst the search for reliable indicators, Platelet Distribution Width (PDW) has surfaced as a potential hematological parameter offering insights into anemia severity in HIV patients [1-10]. The landscape of anemia in the HIV population is characterized by its multifactorial nature, influenced by factors such as chronic inflammation, bone marrow suppression, nutritional deficiencies, co-infections, and adverse effects of antiretroviral therapy. Anemia not only contributes to diminished quality of life but also correlates with disease progression, increased morbidity, and mortality rates among HIV-infected individuals [11-20].

This paper aims to delve into the emerging role of PDW as a prognostic marker for anemia severity in HIV patients. It seeks to synthesize existing literature, explore clinical implications, evaluate associations, and propose potential avenues for further research. By elucidating the significance of PDW in the context of anemia assessment in HIV, this review endeavors to contribute to a more nuanced understanding of prognostic markers and aid in optimizing disease management strategies for this vulnerable population.

## **PDW: A Potential Prognostic Indicator**

Platelet Distribution Width (PDW) is a quantitative measure characterizing variations in platelet size within a blood sample [21]. Unlike mean platelet volume (MPV), which assesses average platelet size, PDW reflects the heterogeneity or variability in platelet size distribution. As an integral component of a routine complete blood count (CBC), PDW has garnered attention as a potential prognostic indicator for various hematologic conditions, including anemia in the context of HIV infection [22-31]. Studies investigating PDW alterations in HIV-infected individuals have shown intriguing correlations between PDW levels and the severity of anemia. Elevated PDW values have been associated with increased anemia severity, suggesting a potential role for PDW as a non-invasive and easily accessible marker for assessing the degree of anemia in this patient population. These findings hint at the utility of PDW in reflecting underlying hematological changes linked to anemia in HIV, presenting an opportunity for enhanced prognostication and disease management strategies [32-41].

However, the precise mechanisms underlying the relationship between PDW alterations and anemia severity in HIV patients remain incompletely understood. It is hypothesized that the inflammatory milieu, chronic immune activation, alterations in bone marrow function, and interactions with antiretroviral therapies may contribute to hematologic changes reflected by PDW. Further investigations are warranted to unravel the intricacies of these associations and

delineate the pathophysiological mechanisms underlying PDW alterations in the context of anemia among individuals living with HIV [42-53]. The potential of PDW as a prognostic indicator for anemia severity in HIV patients raises prospects for its clinical utility. Incorporating PDW assessments into routine hematological evaluations for HIV-infected individuals may offer additional insights into the progression and severity of anemia, aiding in risk stratification and personalized treatment approaches. However, comprehensive prospective studies are essential to validate PDW's prognostic value, establish standardized reference ranges, and elucidate its specific clinical implications in managing anemia within the HIV population [54-63].

### **Clinical Implications of PDW in HIV-Related Anemia**

The emergence of Platelet Distribution Width (PDW) as a potential prognostic marker for anemia severity in HIV-infected individuals holds significant clinical implications. PDW measurements, obtained through routine complete blood count analysis, offer a convenient and readily accessible parameter that may supplement existing markers to assess anemia severity and guide clinical decision-making in HIV care settings [64-73]. Elevated PDW levels have been observed concomitantly with increased anemia severity, implying that PDW measurements could potentially serve as an adjunctive tool in evaluating the extent and progression of anemia within this patient population. Integrating PDW assessments into routine hematologic evaluations may provide clinicians with additional insights into the hematological changes accompanying anemia in HIV [74].

The clinical relevance of PDW lies in its potential utility as a non-invasive and cost-effective marker to aid in risk stratification and personalized management strategies for HIV-related anemia. By identifying individuals at a higher risk of developing severe anemia or those exhibiting progression towards more severe forms, PDW measurements could facilitate early interventions and tailored therapeutic approaches. Moreover, PDW monitoring may offer valuable insights into treatment responses and disease trajectories, enabling clinicians to optimize therapeutic regimens for improved patient outcomes.

However, while the associations between PDW alterations and anemia severity in HIV patients are promising, further validation and standardization are imperative before integrating PDW assessments into routine clinical practice. Prospective studies are needed to establish specific reference ranges for PDW in the context of HIV-related anemia and to delineate its predictive value and clinical utility in guiding therapeutic interventions and disease management protocols [74]. The potential clinical implications of PDW in HIV-related anemia underscore the importance of continued research efforts to validate its prognostic value and elucidate its precise role in clinical decision-making. If confirmed, PDW could emerge as a valuable adjunctive tool in the armamentarium of hematologic markers, aiding in comprehensive assessments and personalized management strategies for anemia in HIV-infected individuals.

### **Mechanistic Insights and Future Directions**

Understanding the mechanistic underpinnings of Platelet Distribution Width (PDW) alterations in the context of HIV-related anemia represents a critical area of investigation to further elucidate the clinical relevance of PDW as a prognostic marker. The relationship between PDW

alterations and anemia severity in HIV patients remains an area of ongoing exploration. Several potential mechanisms have been postulated [75]. Chronic inflammation and immune activation characteristic of HIV infection are speculated to play pivotal roles in influencing hematopoietic processes, thereby impacting platelet size heterogeneity reflected by PDW. Furthermore, the interaction between HIV and bone marrow function, as well as the effects of antiretroviral therapy on hematologic parameters, may contribute to PDW alterations in this patient population. Clarifying these mechanisms could provide insights into the hematologic changes associated with anemia in HIV and solidify the role of PDW as a prognostic marker.

Future research endeavors should focus on unraveling the mechanistic connections between PDW alterations and anemia severity in HIV-infected individuals. Prospective studies elucidating the interplay between chronic inflammation, immune activation, bone marrow alterations, viral dynamics, and PDW changes are warranted. Investigating the temporal relationships between PDW variations and the onset, progression, and resolution of anemia in longitudinal studies could offer crucial insights into the predictive value of PDW and its potential as a dynamic prognostic indicator [75]. Moreover, standardization of PDW measurements specific to the HIV population and the establishment of clinically relevant reference ranges are crucial steps toward validating PDW as a reliable prognostic marker in routine clinical practice. Integrating PDW assessments into larger cohort studies or clinical trials focusing on anemia management in HIV may provide valuable evidence to support its incorporation into clinical guidelines. Additionally, exploring novel diagnostic technologies and analytical approaches to enhance the precision and sensitivity of PDW measurements could refine its clinical utility in prognosticating anemia severity. Collaborative efforts among hematologists, virologists, immunologists, and clinicians are essential for advancing our understanding of PDW's mechanistic implications and translating this knowledge into improved prognostication and management strategies for anemia in HIV.

## Conclusion

The evaluation of Platelet Distribution Width (PDW) as a potential prognostic marker for assessing anemia severity in individuals living with Human Immunodeficiency Virus (HIV) represents a promising avenue in hematologic research. Anemia remains a prevalent complication among HIV-infected individuals, exerting significant implications for disease progression and overall patient outcomes. The exploration of PDW as an adjunctive tool in assessing anemia severity holds potential clinical significance, yet comprehensive validation and mechanistic understanding are essential. The association between altered PDW levels and increased anemia severity in HIV patients offers valuable insights into the hematological changes accompanying anemia within this population. Elevated PDW values have shown promising correlations with the degree of anemia, hinting at the possibility of PDW serving as a non-invasive and easily accessible parameter for prognostication.

The clinical implications of PDW measurements in HIV-related anemia are substantial. Integrating PDW assessments into routine hematologic evaluations may offer clinicians additional insights into the progression and severity of anemia, potentially aiding in risk stratification, personalized treatment approaches, and monitoring treatment responses. While PDW holds promise as a potential prognostic marker for assessing anemia severity in HIV

patients, its clinical utility necessitates further validation through rigorous research endeavors. Continued investigations into the mechanistic associations and translational efforts are crucial to harness the full potential of PDW in optimizing hematologic assessments and enhancing patient care in the realm of HIV-related anemia.

## References

1. Obeagu EI, Okwuanaso CB, Edoho SH, Obeagu GU. Under-nutrition among HIV-exposed Uninfected Children: A Review of African Perspective. *Madonna University journal of Medicine and Health Sciences*. 2022;2(3):120-127.
2. Obeagu EI, Alum EU, Obeagu GU. Factors associated with prevalence of HIV among youths: A review of Africa perspective. *Madonna University journal of Medicine and Health Sciences*. 2023;3(1):13-8.<https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/93>.
3. Obeagu EI. A Review of Challenges and Coping Strategies Faced by HIV/AIDS Discordant Couples. *Madonna University journal of Medicine and Health Sciences*. 2023 ;3(1):7-12.<https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/91>.
4. Obeagu EI, Obeagu GU. An update on premalignant cervical lesions and cervical cancer screening services among HIV positive women. *J Pub Health Nutri*. 2023; 6 (2). 2023; 141:1-2.[links/63e538ed64252375639dd0df/An-update-on-premalignant-cervical-lesions-and-cervical-cancer-screening-services-among-HIV-positive-women.pdf](https://doi.org/10.22192/ijcrms.2017.03.01.004).
5. Ezeoru VC, Enweani IB, Ochiabuto O, Nwachukwu AC, Ogbonna US, Obeagu EI. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. *Journal of Pharmaceutical Research International*. 2021;33(4):10-9.
6. Omo-Emmanuel UK, Chinedum OK, Obeagu EI. Evaluation of laboratory logistics management information system in HIV/AIDS comprehensive health facilities in Bayelsa State, Nigeria. *Int J Curr Res Med Sci*. 2017;3(1): 21-38.DOI: [10.22192/ijcrms.2017.03.01.004](https://doi.org/10.22192/ijcrms.2017.03.01.004)
7. Obeagu EI, Obeagu GU, Musiimenta E, Bot YS, Hassan AO. Factors contributing to low utilization of HIV counseling and testing services. *Int. J. Curr. Res. Med. Sci*. 2023;9(2): 1-5.DOI: [10.22192/ijcrms.2023.09.02.001](https://doi.org/10.22192/ijcrms.2023.09.02.001)
8. Obeagu EI, Obeagu GU. An update on survival of people living with HIV in Nigeria. *J Pub Health Nutri*. 2022; 5 (6). 2022;129.[links/645b4bfcf3512f1cc5885784/An-update-on-survival-of-people-living-with-HIV-in-Nigeria.pdf](https://doi.org/10.22192/ijcrms.2017.03.01.004).
9. Offie DC, Obeagu EI, Akueshi C, Njab JE, Ekanem EE, Dike PN, Oguh DN. Facilitators and barriers to retention in HIV care among HIV infected MSM attending Community Health Center Yaba, Lagos Nigeria. *Journal of Pharmaceutical Research International*. 2021;33(52B):10-9.
10. Obeagu EI, Ogbonna US, Nwachukwu AC, Ochiabuto O, Enweani IB, Ezeoru VC. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. *Journal of Pharmaceutical Research International*. 2021;33(4):10-9.
11. Odo M, Ochei KC, Obeagu EI, Barinaadaa A, Eteng UE, Ikpeme M, Bassey JO, Paul AO. TB Infection Control in TB/HIV Settings in Cross River State, Nigeria: Policy Vs Practice. *Journal of Pharmaceutical Research International*. 2020;32(22):101-9.
12. Obeagu EI, Eze VU, Alaebob EA, Ochei KC. Determination of haematocrit level and iron profile study among persons living with HIV in Umuahia, Abia State, Nigeria. *J*

- BioInnovation. 2016; 5:464-471.[links/592bb4990f7e9b9979a975cf/DETERMINATION-OF-HAEMATOCRIT-LEVEL-AND-IRON-PROFILE-STUDY-AMONG-PERSONS-LIVING-WITH-HIV-IN-UMUAHIA-ABIA-STATE-NIGERIA.pdf](https://www.academia.edu/download/38320140/Obeagu_Emanuel_Ifeanyi_and_Obeagu_Getrude_Uzoma2.EMMA1.pdf).
13. Ifeanyi OE, Obeagu GU. The values of prothrombin time among HIV positive patients in FMC owerri. International Journal of Current Microbiology and Applied Sciences. 2015;4(4):911-6.[https://www.academia.edu/download/38320140/Obeagu Emmanuel Ifeanyi and Obeagu Getrude Uzoma2.EMMA1.pdf](https://www.academia.edu/download/38320140/Obeagu_Emanuel_Ifeanyi_and_Obeagu_Getrude_Uzoma2.EMMA1.pdf).
  14. Izuchukwu IF, Ozims SJ, Agu GC, Obeagu EI, Onu I, Amah H, Nwosu DC, Nwanjo HU, Edward A, Arunsi MO. Knowledge of preventive measures and management of HIV/AIDS victims among parents in Umuna Orlu community of Imo state Nigeria. Int. J. Adv. Res. Biol. Sci. 2016;3(10): 55-65.DOI; [10.22192/ijarbs.2016.03.10.009](https://doi.org/10.22192/ijarbs.2016.03.10.009)
  15. Chinedu K, Takim AE, Obeagu EI, Chinazor UD, Eloghosa O, Ojong OE, Odunze U. HIV and TB co-infection among patients who used Directly Observed Treatment Short-course centres in Yenagoa, Nigeria. IOSR J Pharm Biol Sci. 2017;12(4):70-5.[links/5988ab6d0f7e9b6c8539f73d/HIV-and-TB-co-infection-among-patients-who-used-Directly-Observed-Treatment-Short-course-centres-in-Yenagoa-Nigeria.pdf](https://www.academia.edu/download/38320140/Obeagu_Emanuel_Ifeanyi_and_Obeagu_Getrude_Uzoma2.EMMA1.pdf)
  16. Oloro OH, Oke TO, Obeagu EI. Evaluation of Coagulation Profile Patients with Pulmonary Tuberculosis and Human Immunodeficiency Virus in Owo, Ondo State, Nigeria. Madonna University journal of Medicine and Health Sciences. 2022;2(3):110-9.
  17. Nwosu DC, Obeagu EI, Nkwocha BC, Nwanja CA, Nwanjo HU, Amadike JN, Elendu HN, Ofoedeme CN, Ozims SJ, Nwankpa P. Change in Lipid Peroxidation Marker (MDA) and Non enzymatic Antioxidants (VIT C & E) in HIV Seropositive Children in an Urban Community of Abia State. Nigeria. J. Bio. Innov. 2016;5(1):24-30.[links/5ae735e9a6fdcc5b33eb8d6a/CHANGE-IN-LIPID-PEROXIDATION-MARKER-MDAAND-NON-ENZYMATIC-ANTIOXIDANTS-VIT-C-E-IN-HIV-SEROPOSITIVE-CHILDREN-IN-AN-URBAN-COMMUNITY-OF-ABIA-STATE-NIGERIA.pdf](https://www.academia.edu/download/38320140/Obeagu_Emanuel_Ifeanyi_and_Obeagu_Getrude_Uzoma2.EMMA1.pdf).
  18. Igwe CM, Obeagu IE, Ogbuabor OA. Clinical characteristics of people living with HIV/AIDS on ART in 2014 at tertiary health institutions in Enugu, Nigeria. J Pub Health Nutri. 2022; 5 (6). 2022;130.[links/645a166f5762c95ac3817d32/Clinical-characteristics-of-people-living-with-HIV-AIDS-on-ART-in-2014-at-tertiary-health-institutions-in-Enugu.pdf](https://www.academia.edu/download/38320140/Obeagu_Emanuel_Ifeanyi_and_Obeagu_Getrude_Uzoma2.EMMA1.pdf).
  19. Ifeanyi OE, Obeagu GU, Ijeoma FO, Chioma UI. The values of activated partial thromboplastin time (APTT) among HIV positive patients in FMC Owerri. Int J Curr Res Aca Rev. 2015; 3:139-144.[https://www.academia.edu/download/38320159/Obeagu Emmanuel Ifeanyi3 et al IJCRAR.pdf](https://www.academia.edu/download/38320159/Obeagu_Emanuel_Ifeanyi3_et_al_IJCRAR.pdf).
  20. Obiomah CF, Obeagu EI, Ochei KC, Swem CA, Amachukwu BO. Hematological indices o HIV seropositive subjects in Nnamdi Azikiwe University teaching hospital (NAUTH), Nnewi. Ann Clin Lab Res. 2018;6(1):1-4.[links/5aa2bb17a6fdccd544b7526e/Haematological-Indices-of-HIV-Seropositive-Subjects-at-Nnamdi-Azikiwe.pdf](https://www.academia.edu/download/38320140/Obeagu_Emanuel_Ifeanyi_and_Obeagu_Getrude_Uzoma2.EMMA1.pdf)
  21. Omo-Emmanuel UK, Ochei KC, Osuala EO, Obeagu EI, Onwuasoanya UF. Impact of prevention of mother to child transmission (PMTCT) of HIV on positivity rate in

- Kafanchan, Nigeria. *Int. J. Curr. Res. Med. Sci.* 2017;3(2): 28-34.DOI: [10.22192/ijcrms.2017.03.02.005](https://doi.org/10.22192/ijcrms.2017.03.02.005)
22. Aizaz M, Abbas FA, Abbas A, Tabassum S, Obeagu EI. Alarming rise in HIV cases in Pakistan: Challenges and future recommendations at hand. *Health Science Reports.* 2023;6(8):e1450.
23. Obeagu EI, Amekpor F, Scott GY. An update of human immunodeficiency virus infection: Bleeding disorders. *J Pub Health Nutri.* 2023; 6 (1). 2023;139.[links/645b4a6c2edb8e5f094d9bd9/An-update-of-human-immunodeficiency-virus-infection-Bleeding.pdf](https://doi.org/10.22192/ijcrms.2017.03.02.005).
24. Obeagu EI, Scott GY, Amekpor F, Ofodile AC, Edoho SH, Ahamefula C. Prevention of New Cases of Human Immunodeficiency Virus: Pragmatic Approaches of Saving Life in Developing Countries. *Madonna University journal of Medicine and Health Sciences.* 2022;2(3):128-34.<https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/86>.
25. Walter O, Anaebo QB, Obeagu EI, Okoroiwu IL. Evaluation of Activated Partial Thromboplastin Time and Prothrombin Time in HIV and TB Patients in Owerri Metropolis. *Journal of Pharmaceutical Research International.* 2022:29-34.
26. Odo M, Ochei KC, Obeagu EI, Barinaadaa A, Eteng EU, Ikpeme M, Bassey JO, Paul AO. Cascade variabilities in TB case finding among people living with HIV and the use of IPT: assessment in three levels of care in cross River State, Nigeria. *Journal of Pharmaceutical Research International.* 2020;32(24):9-18.
27. Jakheng SP, Obeagu EI. Seroprevalence of human immunodeficiency virus based on demographic and risk factors among pregnant women attending clinics in Zaria Metropolis, Nigeria. *J Pub Health Nutri.* 2022; 5 (8). 2022;137.[links/6317a6b1acd814437f0ad268/Seroprevalence-of-human-immunodeficiency-virus-based-on-demographic-and-risk-factors-among-pregnant-women-attending-clinics-in-Zaria-Metropolis-Nigeria.pdf](https://doi.org/10.22192/ijcrms.2017.03.02.005).
28. Obeagu EI, Obeagu GU. A Review of knowledge, attitudes and socio-demographic factors associated with non-adherence to antiretroviral therapy among people living with HIV/AIDS. *Int. J. Adv. Res. Biol. Sci.* 2023;10(9):135-42.DOI: [10.22192/ijarbs.2023.10.09.015](https://doi.org/10.22192/ijarbs.2023.10.09.015) [links/6516faa61e2386049de5e828/A-Review-of-knowledge-attitudes-and-socio-demographic-factors-associated-with-non-adherence-to-antiretroviral-therapy-among-people-living-with-HIV-AIDS.pdf](https://doi.org/10.22192/ijarbs.2023.10.09.015)
29. Obeagu EI, Onuoha EC. Tuberculosis among HIV Patients: A review of Prevalence and Associated Factors. *Int. J. Adv. Res. Biol. Sci.* 2023;10(9):128-34.DOI: [10.22192/ijarbs.2023.10.09.014](https://doi.org/10.22192/ijarbs.2023.10.09.014) [links/6516f938b0df2f20a2f8b0e0/Tuberculosis-among-HIV-Patients-A-review-of-Prevalence-and-Associated-Factors.pdf](https://doi.org/10.22192/ijarbs.2023.10.09.014).
30. Obeagu EI, Ibeh NC, Nwobodo HA, Ochei KC, Iwegbulam CP. Haematological indices of malaria patients coinfecting with HIV in Umuahia. *Int. J. Curr. Res. Med. Sci.* 2017;3(5):100-4.DOI: [10.22192/ijcrms.2017.03.05.014](https://doi.org/10.22192/ijcrms.2017.03.05.014) [https://www.academia.edu/download/54317126/Haematological\\_indices\\_of\\_malaria\\_patients\\_coinfected\\_with\\_HIV.pdf](https://www.academia.edu/download/54317126/Haematological_indices_of_malaria_patients_coinfected_with_HIV.pdf)
31. Jakheng SP, Obeagu EI, Abdullahi IO, Jakheng EW, Chukwueze CM, Eze GC, Essien UC, Madekwe CC, Madekwe CC, Vidya S, Kumar S. Distribution Rate of Chlamydial Infection According to Demographic Factors among Pregnant Women Attending Clinics

- in Zaria Metropolis, Kaduna State, Nigeria. *South Asian Journal of Research in Microbiology*. 2022;13(2):26-31.
32. Viola N, Kimono E, Nuruh N, Obeagu EI. Factors Hindering Elimination of Mother to Child Transmission of HIV Service Uptake among HIV Positive Women at Comboni Hospital Kyamuhunga Bushenyi District. *Asian Journal of Dental and Health Sciences*. 2023;3(2):7-14.<http://ajdhs.com/index.php/journal/article/view/39>.
33. Okorie HM, Obeagu Emmanuel I, Okpoli Henry CH, Chukwu Stella N. Comparative study of enzyme linked immunosorbent assay (Elisa) and rapid test screening methods on HIV, Hbsag, Hcv and Syphilis among voluntary donors in. Owerri, Nigeria. *J Clin Commun Med*. 2020;2(3):180-83.DOI:[10.32474/JCCM.2020.02.000137links/5f344530458515b7291bd95f/Comparative-Study-of-Enzyme-Linked-Immunosorbent-Assay-EIISA-and-Rapid-Test-Screening-Methods-on-HIV-HBsAg-HCV-and-Syphilis-among-Voluntary-Donors-in-Owerri-Nigeria.pdf](https://doi.org/10.32474/JCCM.2020.02.000137links/5f344530458515b7291bd95f/Comparative-Study-of-Enzyme-Linked-Immunosorbent-Assay-EIISA-and-Rapid-Test-Screening-Methods-on-HIV-HBsAg-HCV-and-Syphilis-among-Voluntary-Donors-in-Owerri-Nigeria.pdf).
34. Ezugwu UM, Onyenekwe CC, Ukibe NR, Ahaneku JE, Onah CE, Obeagu EI, Emeje PI, Awalu JC, Igbokwe GE. Use of ATP, GTP, ADP and AMP as an Index of Energy Utilization and Storage in HIV Infected Individuals at NAUTH, Nigeria: A Longitudinal, Prospective, Case-Controlled Study. *Journal of Pharmaceutical Research International*. 2021;33(47A):78-84.
35. Emmanuel G, Martin O, Peter OS, Obeagu EI, Daniel K. Factors Influencing Early Neonatal Adverse Outcomes among Women with HIV with Post Dated Pregnancies Delivering at Kampala International University Teaching Hospital, Uganda. *Asian Journal of Pregnancy and Childbirth*. 2023 Jul 29;6(1):203-11.<http://research.sdpublishers.net/id/eprint/2819/>.
36. Igwe MC, Obeagu EI, Ogbuabor AO, Eze GC, Ikpenwa JN, Eze-Stephen PE. Socio-Demographic Variables of People Living with HIV/AIDS Initiated on ART in 2014 at Tertiary Health Institution in Enugu State. *Asian Journal of Research in Infectious Diseases*. 2022;10(4):1-7.
37. Vincent CC, Obeagu EI, Agu IS, Ukeagu NC, Onyekachi-Chigbu AC. Adherence to Antiretroviral Therapy among HIV/AIDS in Federal Medical Centre, Owerri. *Journal of Pharmaceutical Research International*. 2021;33(57A):360-8.
38. Igwe MC, Obeagu EI, Ogbuabor AO. ANALYSIS OF THE FACTORS AND PREDICTORS OF ADHERENCE TO HEALTHCARE OF PEOPLE LIVING WITH HIV/AIDS IN TERTIARY HEALTH INSTITUTIONS IN ENUGU STATE. *Madonna University journal of Medicine and Health Sciences*. 2022;2(3):42-57.<https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/75>.
39. Madekwe CC, Madekwe CC, Obeagu EI. Inequality of monitoring in Human Immunodeficiency Virus, Tuberculosis and Malaria: A Review. *Madonna University journal of Medicine and Health Sciences*. 2022;2(3):6-15.<https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/69>
40. Echendu GE, Vincent CC, Ibebuikwe J, Asodike M, Naze N, Chinedu EP, Ohale B, Obeagu EI. WEIGHTS OF INFANTS BORN TO HIV INFECTED MOTHERS: A PROSPECTIVE COHORT STUDY IN FEDERAL MEDICAL CENTRE, OWERRI, IMO STATE. *European Journal of Pharmaceutical and Medical Research*, 2023;10(8): 564-568
41. Nwosu DC, Nwanjo HU, Okolie NJ, Ikeh K, Ajero CM, Dike J, Ojiegbe GC, Oze GO, Obeagu EI, Nnatunanya I, Azuonwu O. BIOCHEMICAL ALTERATIONS IN ADULT



- HIV PATIENTS ON ANTIRETROVIRAL THERAPY. *World Journal of Pharmacy and Pharmaceutical Sciences*, 2015; 4(3): 153-160. [links/5a4fd0500f7e9bbc10526b38/BIOCHEMICAL-ALTERATIONS-IN-ADULT-HIV-PATIENTS-ON-ANTIRETROVIRAL-THERAPY.pdf](https://www.ijcrops.com/links/5a4fd0500f7e9bbc10526b38/BIOCHEMICAL-ALTERATIONS-IN-ADULT-HIV-PATIENTS-ON-ANTIRETROVIRAL-THERAPY.pdf).
42. Obeagu EI, Obeagu GU. Effect of CD4 Counts on Coagulation Parameters among HIV Positive Patients in Federal Medical Centre, Owerri, Nigeria. *Int. J. Curr. Res. Biosci. Plant Biol.* 2015;2(4):45-9.
  43. Obeagu EI, Nwosu DC. Adverse drug reactions in HIV/AIDS patients on highly active antiretro viral therapy: a review of prevalence. *Int. J. Curr. Res. Chem. Pharm. Sci.* 2019;6(12):45-8. DOI: [10.22192/ijcreps.2019.06.12.004](https://doi.org/10.22192/ijcreps.2019.06.12.004) [links/650aba1582f01628f0335795/Adverse-drug-reactions-in-HIV-AIDS-patients-on-highly-active-antiretro-viral-therapy-a-review-of-prevalence.pdf](https://www.ijcrops.com/links/650aba1582f01628f0335795/Adverse-drug-reactions-in-HIV-AIDS-patients-on-highly-active-antiretro-viral-therapy-a-review-of-prevalence.pdf).
  44. Obeagu EI, Scott GY, Amekpor F, Obeagu GU. Implications of CD4/CD8 ratios in Human Immunodeficiency Virus infections. *Int. J. Curr. Res. Med. Sci.* 2023;9(2):6-13. DOI: [10.22192/ijcrms.2023.09.02.002](https://doi.org/10.22192/ijcrms.2023.09.02.002) [links/645a4a462edb8e5f094ad37c/Implications-of-CD4-CD8-ratios-in-Human-Immunodeficiency-Virus-infections.pdf](https://www.ijcrops.com/links/645a4a462edb8e5f094ad37c/Implications-of-CD4-CD8-ratios-in-Human-Immunodeficiency-Virus-infections.pdf).
  45. Obeagu EI, Ochei KC, Okeke EI, Anode AC. Assessment of the level of haemoglobin and erythropoietin in persons living with HIV in Umuahia. *Int. J. Curr. Res. Med. Sci.* 2016;2(4):29-33. [links/5711c47508aeebe07c02496b/Assessment-of-the-level-of-haemoglobin-and-erythropoietin-in-persons-living-with-HIV-in-Umuahia.pdf](https://www.ijcrops.com/links/5711c47508aeebe07c02496b/Assessment-of-the-level-of-haemoglobin-and-erythropoietin-in-persons-living-with-HIV-in-Umuahia.pdf).
  46. Ifeanyi OE, Obeagu GU. The Values of CD4 Count, among HIV Positive Patients in FMC Owerri. *Int. J. Curr. Microbiol. App. Sci.* 2015;4(4):906-10. [https://www.academia.edu/download/38320134/Obeagu\\_Emanuel\\_Ifeanyi\\_and\\_Obeagu\\_Getrude\\_Uzoma.EMMA2.pdf](https://www.academia.edu/download/38320134/Obeagu_Emanuel_Ifeanyi_and_Obeagu_Getrude_Uzoma.EMMA2.pdf).
  47. Obeagu EI, Okeke EI, Anonde Andrew C. Evaluation of haemoglobin and iron profile study among persons living with HIV in Umuahia, Abia state, Nigeria. *Int. J. Curr. Res. Biol. Med.* 2016;1(2):1-5.
  48. Alum EU, Ugwu OP, Obeagu EI, Okon MB. Curtailing HIV/AIDS Spread: Impact of Religious Leaders. *Newport International Journal of Research in Medical Sciences (NIJRMS)*. 2023;3(2):28-31.
  49. Obeagu EI, Obeagu GU, Paul-Chima UO. Stigma Associated With HIV. AIDS: A Review. *Newport International Journal of Public Health and Pharmacy (NIJPP)*. 2023;3(2):64-7.
  50. Alum EU, Obeagu EI, Ugwu OP, Aja PM, Okon MB. HIV Infection and Cardiovascular diseases: The obnoxious Duos. *Newport International Journal of Research in Medical Sciences (NIJRMS)*. 2023;3(2):95-9.
  51. Ibebuikie JE, Nwokike GI, Nwosu DC, Obeagu EI. A Retrospective Study on Human Immune Deficiency Virus among Pregnant Women Attending Antenatal Clinic in Imo State University Teaching Hospital. *International Journal of Medical Science and Dental Research*, 2018; 1 (2):08-14. <https://www.ijmsdr.org/published%20paper/li1i2/A%20Retrospective%20Study%20on%20Human%20Immune%20Deficiency%20Virus%20among%20Pregnant%20Women%20Attending%20Antenatal%20Clinic%20in%20Imo%20State%20University%20Teaching%20Hospital.pdf>.

52. Obeagu EI, Obarezi TN, Omeh YN, Okoro NK, Eze OB. Assessment of some haematological and biochemical parameters in HIV patients before receiving treatment in Aba, Abia State, Nigeria. *Res J Pharma Biol Chem Sci*. 2014; 5:825-30.
53. Obeagu EI, Obarezi TN, Ogbuabor BN, Anaebo QB, Eze GC. Pattern of total white blood cell and differential count values in HIV positive patients receiving treatment in Federal Teaching Hospital Abakaliki, Ebonyi State, Nigeria. *International Journal of Life Science, Biotechnology and Pharama Research*. 2014; 391:186-9.
54. Obeagu EI. A Review of Challenges and Coping Strategies Faced by HIV/AIDS Discordant Couples. *Madonna University journal of Medicine and Health Sciences*. 2023; 3 (1): 7-12.
55. Oloro OH, Obeagu EI. A Systematic Review on Some Coagulation Profile in HIV Infection. *International Journal of Innovative and Applied Research*. 2022;10(5):1-1.
56. Nwosu DC, Obeagu EI, Nkwuocha BC, Nwanna CA, Nwanjo HU, Amadike JN, Ezemma MC, Okpomeshine EA, Ozims SJ, Agu GC. Alterations in superoxide dismutase, vitamins C and E in HIV infected children in Umuahia, Abia state. *International Journal of Advanced Research in Biological Sciences*. 2015;2(11):268-71.
57. Obeagu EI, Malot S, Obeagu GU, Ugwu OP. HIV resistance in patients with Sickle Cell Anaemia. *Newport International Journal of Scientific and Experimental Sciences (NIJSES)*. 2023;3(2):56-9.
58. Ifeanyi OE, Uzoma OG, Stella EI, Chinedum OK, Abum SC. Vitamin D and insulin resistance in HIV sero positive individuals in Umudike. *Int. J. Curr. Res. Med. Sci*. 2018;4(2):104-8.
59. Ifeanyi OE, Leticia OI, Nwosu D, Chinedum OK. A Review on blood borne viral infections: universal precautions. *Int. J. Adv. Res. Biol. Sci*. 2018;5(6):60-6.
60. Nwovu AI, Ifeanyi OE, Uzoma OG, Nwebonyi NS. Occurrence of Some Blood Borne Viral Infection and Adherence to Universal Precautions among Laboratory Staff in Federal Teaching Hospital Abakaliki Ebonyi State. *Arch Blood TransfusDisord*. 2018;1(2).
61. Chinedu K, Takim AE, Obeagu EI, Chinazor UD, Eloghosa O, Ojong OE, Odunze U. HIV and TB co-infection among patients who used Directly Observed Treatment Short-course centres in Yenagoa, Nigeria. *IOSR J Pharm Biol Sci*. 2017;12(4):70-5.
62. Offie DC, Obeagu EI, Akueshi C, Njab JE, Ekanem EE, Dike PN, Oguh DN. Facilitators and barriers to retention in HIV care among HIV infected MSM attending Community Health Center Yaba, Lagos Nigeria. *Journal of Pharmaceutical Research International*. 2021;33(52B):10-9.
63. Obeagu EI, Obeagu GU, Ede MO, Odo EO, Buhari HA. Translation of HIV/AIDS knowledge into behavior change among secondary school adolescents in Uganda: A review. *Medicine (Baltimore)*. 2023;102(49): e36599. doi: 10.1097/MD.00000000000036599. PMID: 38065920; PMCID: PMC10713174.
64. Anyiam AF, Arinze-Anyiam OC, Ironi EA, Obeagu EI. Distribution of ABO and rhesus blood grouping with HIV infection among blood donors in Ekiti State Nigeria. *Medicine (Baltimore)*. 2023;102(47): e36342. doi: 10.1097/MD.00000000000036342. PMID: 38013335; PMCID: PMC10681551.
65. Echefu SN, Udosen JE, Akwiwu EC, Akpotuzor JO, Obeagu EI. Effect of Dolutegravir regimen against other regimens on some hematological parameters, CD4 count and viral load of people living with HIV infection in South Eastern Nigeria. *Medicine (Baltimore)*.

- 2023;102(47): e35910. doi: 10.1097/MD.00000000000035910. PMID: 38013350; PMCID: PMC10681510.
66. Opeyemi AA, Obeagu EI. Regulations of malaria in children with human immunodeficiency virus infection: A review. *Medicine (Baltimore)*. 2023;102(46): e36166. doi: 10.1097/MD.00000000000036166. PMID: 37986340; PMCID: PMC10659731.
67. Alum EU, Obeagu EI, Ugwu OPC, Samson AO, Adepoju AO, Amusa MO. Inclusion of nutritional counseling and mental health services in HIV/AIDS management: A paradigm shift. *Medicine (Baltimore)*. 2023;102(41): e35673. doi: 10.1097/MD.00000000000035673. PMID: 37832059; PMCID: PMC10578718.
68. Aizaz M, Abbas FA, Abbas A, Tabassum S, Obeagu EI. Alarming rise in HIV cases in Pakistan: Challenges and future recommendations at hand. *Health Sci Rep*. 2023;6(8): e1450. doi: 10.1002/hsr2.1450. PMID: 37520460; PMCID: PMC10375546.
69. Obeagu EI, Obeagu GU, Obiezu J, Ezeonwumelu C, Ogunnaya FU, Ngwoke AO, Emeka-Obi OR, Ugwu OP. Hematologic Support in HIV Patients: Blood Transfusion Strategies and Immunological Considerations. *APPLIED SCIENCES (NIJBAS)*. 2023;3(3).
70. Obeagu EI, Ubosi NI, Uzoma G. Storms and Struggles: Managing HIV Amid Natural Disasters. *Int. J. Curr. Res. Chem. Pharm. Sci*. 2023;10(11):14-25.
71. Obeagu EI, Obeagu GU. Human Immunodeficiency Virus and tuberculosis infection: A review of prevalence of associated factors. *Int. J. Adv. Multidiscip. Res*. 2023;10(10):56-62.
72. Obeagu EI, Malot S, Obeagu GU, Ugwu OP. HIV resistance in patients with Sickle Cell Anaemia. *Newport International Journal of Scientific and Experimental Sciences (NIJSES)*. 2023;3(2):56-9.
73. Alum EU, Ugwu OP, Obeagu EI, Aja PM, Okon MB, Uti DE. Reducing HIV Infection Rate in Women: A Catalyst to reducing HIV Infection pervasiveness in Africa. *International Journal of Innovative and Applied Research*. 2023;11(10):01-6.
74. Ma Y, Han J, Li S, Zhang A, Cao W, Sun X. Association between platelet parameters and glaucoma severity in primary open-angle glaucoma. *Journal of Ophthalmology*. 2019.
75. Jegede FE, Oyeyi TI, Abdulrahman SA, Mbah HA. Malaria parasite density as a predictor of hematological parameter changes among HIV infected adults attending two antiretroviral treatment clinics in Kano, Northwest Nigeria. *Journal of Tropical Medicine*. 2020.